10

15

n

£.

T. M

n.

20

A method on an information processing unit performing steps for creating a user 1. interface (UI) to assemble a document that conforms to a particular document type definition, the method comprising:

receiving a user selection for a document type;

selecting one of a plurality of document type definition types based upon the document type received;

parsing one or more of a plurality of elements in the document type definition types selected;

mapping to one or more interface controls each of the plurality of elements; presenting a UI editor by assembling the one or more interface controls without

presenting specific document type definition syntax to a user;

receiving a user input for zero or more content objects that are associated with the interface controls; and

aggregating the content objects associated with the interface controls.

- The method according to claim 1, wherein the step of selection a plurality of 2. document type definition types includes document type definition types selected from the group of document type definition types consisting of DTDs and XML Schemas.
- The method according to claim 1, wherein the step of presenting a UI includes 3. presenting a UI selected from the group of UIs consisting of a graphical user interface (GUI) and an interactive voice response (IVR) system.
- The method according to claim 3, wherein the step of presenting a UI includes 4. presenting a UI which is a what-you-see-is-what-you-get (WYSIWYG) interface.

### **EXPRESS MAIL LABEL NO.: EL746147355US**

- 5. The method according to claim 3, wherein the step of presenting a UI includes presenting a UI which is a wizard.
- 6. The method according to claim 1, wherein the step of mapping includes interface controls selected from a group of interface controls consisting of an icon, a pull-down menu, a button, a selection box, a progress indicator, an on-off checkmark, a scroll bar, a window, a window edge for resizing the window, a toggle button, a form, and a UI widget.
- 7. The method according to claim 1, wherein the step of parsing includes parsing one or more of a plurality of elements to determine a type and a hierarchical context and wherein the step of mapping to one or more interface controls includes mapping the type and context to one or more interface controls.
  - 8. The method according to claim 7, wherein the step of mapping further includes the sub-step of retrieving a user's profile to determine which of the one or more interface controls are mapped to each of the plurality of elements.
  - 9. The method according to claim 8, wherein the sub-step of retrieving a user's profile includes retrieving a user's profile from a group of user's profile information consisting of a national language, a user preference, an authorization and a preferred output device type.
  - 10. The method according to claim 7, wherein the step of parsing includes parsing one or more of a plurality of elements to determine a hierarchical context based on an Xpath.

# EXPRESS MAIL LABEL NO.: EL746147355US

- 11. The method according to claim 8, wherein the step of parsing includes parsing one or more of a plurality of elements to determine a type selected from a group of types consisting of a single line input, a multiple line input, a choice element, a pull-down menu, a button, a selection box, an on-off checkmark, a toggle button, and a UI widget.
- 12. The method according to claim 11, wherein the step of parsing includes parsing at least one composite element comprising two or more types.
- 13. The method according to claim 1, where in the step of presenting a UI editor includes assembling the one or more interface controls recursively, maintaining relational links between the one or more interface controls and each of the plurality of elements.
- 14. The method according to claim 1, wherein the step of aggregating further includes the sub-step of:

removing empty optional elements.

15. The method according to claim 1, wherein the step of aggregating further includes the sub-step of:

removing empty category elements.

- 16. The method according to claim 1, wherein the step of aggregating further includes the sub-step of:
- submitting the assembled content object to be checked-in for subsequent processing.

25

5

10

15

THE WAY THE

## **EXPRESS MAIL LABEL NO.: EL746147355US**

17. The method according to claim 16, wherein the sub-step of submitting the assembled content object to be checked-in for subsequent processing includes being checked-in as XML.

10

### **EXPRESS MAIL LABEL NO.: EL746147355US**

18. A method comprising steps on an information processing system to build a UI interface for creating a document based on a document type definition without presenting the specific syntax of the document type definition to a user, the method comprising:

receiving a user selection fro an existing document;

determining the document type definition of the existing document;

retrieving a document type definition wherein the document type definition comprises a plurality of elements;

determining the type and context information based on the document type definition selection received;

mapping for each element in the document type definition the type and the context;

assembling the document type definition elements and any content from any preexisting document into a UI; and

displaying the assembled document type definition elements and any content in a UI.

- 19. The method according to claim 18, further comprising the steps of: receiving user input to modify any content displayed; and modifying the content based on the user input.
- 20. The method according to claim 18, wherein the step of retrieving a document type definition includes a document type definitions type selected from the group of document type definition types consisting of a DTD and a schema.
- 21. The method according to claim 18, wherein the step of displaying includes displaying a UI selected from the group of UIs consisting of a graphical user interface (GUI) and an interactive voice response (IVR) system.

### **EXPRESS MAIL LABEL NO.: EL746147355US**

22. The method according to claim 18, wherein the interface controls are selected from a group of interface controls consisting of an icon, a pull-down menu, a button, a selection box, a progress indicator, an on-off checkmark, a scroll bar, a window, a window edge for resizing the window, a toggle button, a form, and a UI widget.

10

### **EXPRESS MAIL LABEL NO.: EL746147355US**

23. A computer readable medium containing programming instructions for creating a user interface (UI) to assemble a document that conforms to a particular document type definition, the programming instruction comprising:

receiving a user selection for a document type;

selecting one of a plurality of document type definition types based upon the document type received;

parsing one or more of a plurality of elements in the document type definition types selected;

mapping to one or more interface controls each of the plurality of elements; presenting a UI editor by assembling the one or more interface controls without presenting specific document type definition syntax to a user;

receiving a user input for zero or more content objects that are associated with the interface controls; and

aggregating the content objects associated with the interface controls.

- 24. The computer readable medium according to claim 23, wherein the programming instruction of selection a plurality of document type definition types includes document type definition types selected from the group of document type definition types consisting of DTDs and XML Schemas.
- 25. The computer readable medium according to claim 23, wherein the programming instruction of presenting a UI includes presenting a UI selected from the group of UIs consisting of a graphical user interface (GUI) and an interactive voice response (IVR) system.
- 26. The computer readable medium according to claim 25, wherein the programming instruction of presenting a UI includes presenting a UI which is a what-you-see-is-what-you-get (WYSIWYG) interface.

### **EXPRESS MAIL LABEL NO.: EL746147355US**

- 27. The computer readable medium according to claim 25, wherein the programming instruction of presenting a UI includes presenting a UI which is a wizard.
- 28. The computer readable medium according to claim 23, wherein the programming instruction of mapping includes interface controls selected from a group of interface controls consisting of an icon, a pull-down menu, a button, a selection box, a progress indicator, an on-off checkmark, a scroll bar, a window, a window edge for resizing the window, a toggle button, a form, and a UI widget.
- 29. The computer readable medium according to claim 23, wherein the programming instruction of parsing includes parsing one or more of a plurality of elements to determine a type and a hierarchical context and wherein the step of mapping to one or more interface controls includes mapping the type and context to one or more interface controls.
- 30. The computer readable medium according to claim 29, wherein the programming instruction of mapping further includes the programming instruction of retrieving a user's profile to determine which of the one or more interface controls are mapped to each of the plurality of elements.
- 31. The computer readable medium according to claim 30, wherein the programming instruction of retrieving a user's profile includes retrieving a user's profile from a group of user's profile information consisting of a national language, a user preference, an authorization and a preferred output device type.
- 32. The computer readable medium according to claim 29, wherein the programming instruction of parsing includes parsing one or more of a plurality of elements to determine a hierarchical context based on an Xpath.

5

10

### **EXPRESS MAIL LABEL NO.: EL746147355US**

- 33. The computer readable medium according to claim 30, wherein the programming instruction of parsing includes parsing one or more of a plurality of elements to determine a type selected from a group of types consisting of a single line input, a multiple line input, a choice element, a pull-down menu, a button, a selection box, an on-off checkmark, a toggle button, and a UI widget.
- 34. The computer readable medium according to claim 33, wherein the programming instruction of parsing includes parsing at least one composite element comprising two or more types.
- 35. The computer readable medium according to claim 23, wherein the programming instruction of presenting a UI editor includes assembling the one or more interface controls recursively, maintaining relational links between the one or more interface controls and each of the plurality of elements.
- 36. The computer readable medium according to claim 23, wherein the programming instruction of aggregating further includes the sub-step of:

  removing empty optional elements.
- 37. The computer readable medium according to claim 29, wherein the programming instruction of aggregating further includes the sub-step of: removing empty category elements.
- 38. The computer readable medium according to claim 29, wherein the programming instruction of aggregating further includes the sub-step of:
- submitting the assembled content object to be checked-in for subsequent processing.

10

#### **EXPRESS MAIL LABEL NO.: EL746147355US**

39. A system for creating a user interface (UI) to assemble a document that conforms to a particular document type definition, the system comprising:

an input device for receiving a user selection for a document type;

a file system for selecting one of a plurality of document type definition types based upon the document type received;

a parser for parsing one or more of a plurality of elements in the document type definition types selected;

a map for mapping to one or more interface controls each of the plurality of elements;

a UI editor presented on an output device by assembling the one or more interface controls without presenting specific document type definition syntax to a user;

means for receiving user input for zero or more content objects that are associated with the interface controls; and

an assembler for aggregating the content objects associated with the interface controls.